

SERAPID




RIGID CHAINS FOR HORIZONTAL MOTION
 Catalogue · Catalog · Katalog · Catalogo · Catálogo



Type 40




$p = 40$ mm 25 p/m

CH40 PS 2000





4.4 kg/m

CH40 PSR 2000




6.9 kg/m

CH40 PSC 2000





5.1 kg/m




4.8 kg/m

CH40 PSG 2000




8.1 kg/m




5 kg/m

7 500 N max


C40-90




CR40-90




C40-180




CR40-180



C40-90 R180






CR40-90 R180



Type 60S




$p = 60$ mm 17 p/m

CH60 PS 2000





8.6 kg/m

CH60 PSR 2000




13.8 kg/m

CH60 PSG 2000






14.7 kg/m





9.4 kg/m

CH60 S




9.9 kg/m

CH60 SC






6.4 kg/m




11.5 kg/m

25 000 N max


CH60 SG




C60-90 S




CR60-90 S




C60-180 S




CR60-180 S



C60-90 R180 S






CR60-90 R180 S





Type 60D

$p = 60 \text{ mm}$ 17 p/m


CH60 D





CH60 DC





11.6 kg/m



CH60 DG




16 kg/m




33 kg/m

37 500 N max


C60-90 D




CR60-90 D




C60-180 D




CR60-180 D



C60-90 R180 D






CR60-90 R180 D





Type 60J

$p = 60$ mm 17 p/m



CH60 J



CH60 JG




16.7 kg/m




33 kg/m

50 000 N max


C60-90 J




CR60-90 J




C60-180 J




CR60-180 J



C60-90 R180 J






CR60-90 R180 J






Type 90S

$p = 90 \text{ mm}$ 11 p/m

CH90 S






CH90 SC



19.2 kg/m

31 kg/m

CH90 SG




43 kg/m


31 kg/m

80 000 N max


C90-90 S




CR90-90 S




C90-180 S




CR90-180 S



C90-90 R180 S






CR90-90 R180 S






Type 90D

$p = 90$ mm 11 p/m

CH90 D






CH90 DC



36.4 kg/m


CH90 DG




52 kg/m

130 000 N max


C90-90 D




CR90-90 D




C90-180 D




CR90-180 D



C90-90 R180 D






CR90-90 R180 D



Type 90J




$p = 90$ mm 11 p/m

CH90 J



55 kg/m

CH90 JG




59 kg/m

54 kg/m


160 000 N max

C90-90 J




175 kg

CR90-90 J




140 kg

C90-180 J




173 kg

CR90-180 J




138 kg

C90-90 R180 J




190 kg

CR90-90 R180 J



153 kg

RIGID CHAINS FOR HORIZONTAL MOTION



1^{ère} édition – Révision B · SERAPID 09-2001

Les noms de marque et de produits cités appartiennent à leurs propriétaires. Nous déclinons toute responsabilité en cas d'erreurs ou d'omissions. Nous nous réservons le droit de modification de nos produits existants.

First Edition, Revision B · SERAPID 09-2001

Brand and product names are trademarks of their respective holders. Subject to change.

Erste Ausgabe, Revision B · SERAPID 09-2001

Marken- und Produktnamen sind Warenzeichen der jeweiligen Inhaber. Änderungen vorbehalten.


Prima edizione revisione B · SERAPID 09-2001

Nomi e marchi sono di proprietà. Si declina ogni responsabilità in caso di errore o di omissione. Ci riserviamo il diritto di modificare i prodotti esistenti.

Primera edición, revisión B · SERAPID 09-2001

La marca y denominación de los productos están registradas. Sujetas a modificaciones.

distributed by:



www.serapid.com

www.motiontech.com.au

France · United Kingdom · Germany · Austria · Switzerland · Belgium ·
Luxembourg · Spain · Italy · The Netherlands · Denmark ·
Sweden · Finland · Norway · USA · Japan



Distributed in Australia & New Zealand By



Distributors for Australia & New Zealand

MOTION TECHNOLOGIES PTY LTD

24/22-30 Northumberland Road
Caringbah NSW 2229 Australia
Phone: (02) 9524 4782
Fax: (02) 9525 3878

sales@motiontech.com.au
www.motiontech.com.au

© 21/03/19

SERAPID USA INC.

5400 18 Mile Road
Sterling Heights MI 48314, USA
Phone +1 586 274 0774
Fax +1 586 274 0775

info-us@serapid.com